

## Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Hard to pack	1.00 0.74	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
28: Dickman-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
28B: Dickman-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
28C2: Dickman-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
34: Estherville-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
34B: Estherville-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.19	Very limited Deep to water	1.00
34C2: Estherville-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.19	Very limited Deep to water	1.00
52B: Bode-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.64	Very limited Deep to water	1.00
54: Zook-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
55: Nicollet-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.02 0.01	Somewhat limited Deep to water Slow refill Cutbanks cave	0.68 0.30 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
62C2: Storden-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
62D2: Storden-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00
62E2: Storden-----	Somewhat limited Seepage Slope	0.70 0.04	Very limited Piping	1.00	Very limited Deep to water	1.00
62F: Storden-----	Somewhat limited Seepage Slope	0.70 0.18	Very limited Piping	1.00	Very limited Deep to water	1.00
62G: Storden-----	Somewhat limited Seepage Slope	0.70 0.64	Very limited Piping	1.00	Very limited Deep to water	1.00
73C2: Salida-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
73E2: Salida-----	Very limited Seepage Slope	1.00 0.06	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
90: Okoboji-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Hard to pack	1.00 0.55	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
95: Harps-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
107: Webster-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.09	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
108: Wadena-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
108B: Wadena-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
133B: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
135: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 0.39 0.06	Somewhat limited Cutbanks cave	0.10
138B: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
138C: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
138C2: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
138D2: Clarion-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
150: Hanska-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.37	Very limited Cutbanks cave	1.00
181B: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
Estherville-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
181C2: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
Estherville-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Very limited Deep to water	1.00
203: Cylinder-----	Very limited Seepage	1.00	Somewhat limited Seepage Depth to saturated zone	0.85 0.43	Very limited Cutbanks cave Deep to water	1.00 0.25
221: Palms-----	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Cutbanks cave	0.10
224: Linder-----	Very limited Seepage	1.00	Somewhat limited Seepage Depth to saturated zone	1.00 0.43	Very limited Cutbanks cave Deep to water	1.00 0.25
236B: Lester-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.09	Very limited Deep to water	1.00
236C: Lester-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.09	Very limited Deep to water	1.00
236F: Lester-----	Somewhat limited Seepage Slope	0.70 0.45	Somewhat limited Piping	0.09	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
259: Biscay-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.24	Very limited Cutbanks cave	1.00
274: Rolfe-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.74	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
288: Ottosen-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.02	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
308: Wadena-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
308B: Wadena-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
325: Le Sueur-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.18	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
330: Kingston-----	Somewhat limited Seepage	0.70	Somewhat limited Piping Depth to saturated zone	0.78 0.02	Somewhat limited Deep to water Slow refill Cutbanks cave	0.68 0.30 0.10
335: Harcot-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Cutbanks cave	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
339B: Truman-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.97	Very limited Deep to water	1.00
348: Fieldon-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
349: Darfur-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.08	Very limited Cutbanks cave	1.00
354: Aguolls-----	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Cutbanks cave	0.10
	Slope	0.50				
388: Kossuth-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
389: Waldorf-----	Somewhat limited Seepage	0.43	Very limited Depth to saturated zone Hard to pack	1.00 0.07	Somewhat limited Slow refill	0.57
					Cutbanks cave	0.10
485: Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.83 0.09	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
485B: Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.83 0.09	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
506: Wacousta-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.73	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
507: Canisteo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill  Cutbanks cave	0.30  0.10
511: Blue Earth-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.97	Somewhat limited Slow refill  Cutbanks cave	0.30  0.10
559: Talcot-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.91	Very limited Cutbanks cave	1.00
585B: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill  Cutbanks cave	0.30  0.10
Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping	0.83	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
638B: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
Storden-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
639C2: Storden-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
Salida-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
639D2: Storden-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Salida-----	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
654: Corwith-----	Somewhat limited Seepage	0.70	Very limited Piping Depth to saturated zone	1.00 0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
655: Crippin-----	Somewhat limited Seepage	0.70	Somewhat limited Piping Depth to saturated zone	0.50 0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
658: Mayer-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.93	Very limited Cutbanks cave	1.00
733: Calco-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
823: Ridgeport-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
823B: Ridgeport-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
823C2: Ridgeport-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
879: Fostoria-----	Somewhat limited Seepage	0.70	Somewhat limited Piping Depth to saturated zone Seepage	0.84 0.43 0.08	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10



FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
895: Lemond-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.52	Very limited Cutbanks cave	1.00
1032: Spicer-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.95	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
1133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
1135: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 0.39	Somewhat limited Cutbanks cave	0.10
1485: Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.83 0.09	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
1595: Harpster-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
5010: Pits-----	Not rated		Not rated		Not rated	
5040: Orthents-----	Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated	